



The diagram illustrates a beam element of length A . On the left, a curved beam segment is shown with a horizontal dimension line below it labeled A . On the right, a straight beam element is shown with a downward force T and an upward reaction force, both indicated by arrows.

A diagram of a beam element. On the left, a horizontal black bar represents the beam, with a dimension line below it labeled A indicating its length. On the right, a cross-section of the beam is shown, with a vertical dimension line labeled T indicating its thickness.

HALF ROUND GOLA




ENSIONS ARE IN MM




SECTION No.	A	B	T	Wt.inKgs.
625	70.0	35.0	1.25	1.400

STEP ANGLE




SECTION No.	A	B	Wt.inKgs.
626	30.0	30.0	0.880
626/1	30.0	30.0	0.650

UDAIPURI "F"




SECTION NO.	Wt.inKgs.
834/3	2.00



SECTION NO.	Wt.inKgs.
812	0.600

AZDA "A"




SECTION NO.	Wt.inKgs.
825	0.800

COFFE SECTION




SECTION NO.	Wt.inKgs.
827	0.250

MAZDA "T"




SECTION NO.	Wt.inKgs.
835	0.750
836	1.100




SECTION NO.	Wt.inKgs.
845/1	1.020

'H' SECTION




SECTION NO.	Wt.inKgs.
845	1.650

MAZDA 'H'




SECTION NO.	Wt.inKgs.
848	0.500

'F' SECTION




SECTION No	A	B	Wt.inKgs.
850	36.00	18.00	0.800
850/1	34.00	17.50	0.600
850/2	36.00	18.00	0.690
850/3	34.00	17.60	0.550
851	36.70	18.00	1.250
851/1	36.70	18.00	1.520
852	37.30	18.40	1.600
852/1	36.70	18.00	1.700
854	36.00	18.00	1.050
854/1	34.00	18.00	0.930
854/2	36.00	18.00	1.280

'F' SECTION




SECTION NO.	Wt.inKgs.
853	1.420

'Z' SECTION




SECTION No.	A	B	C	T	Wt.inKgs.
855	22.0	14.1	10.3	1.3	0.600
856	22.0	14.1	10.3	1.5	0.750
857	22.0	14.1	10.3	1.0	0.420
857/1	21.4	14.4	10.0	0.75	0.300

'H' SECTION (PLAIN)




SECTION No	A	B	Wt.inKgs.
846	28.00	22.00	1.950
858	28.00	22.00	1.100



SECTION NO.	Wt.inKgs.
859	1.420

Hat track


EICHER SECTION



SECTION NO.	Wt.inKgs.
935	0.700


Trap Edge

EICHER SECTION




SECTION NO.	Wt.inKgs.
936	0.850

EICHER SECTION




SECTION NO.	Wt.inKgs.
937	1.00

EICHER SECTION




SECTION NO.	Wt.inKgs.
938	0.670

THRESHOLD




SECTION NO.	Wt.inKgs.
954	1.150
954/1	0.880
954/2	0.880
954/3	1.200

NAGIN GOLA




SECTION NO.	Wt.inKgs.
960	2.050

DURI PATTI




SECTION NO.	Wt.inKgs.
961	1.400
961/1	1.300

FLUTED STRIP




SECTION NO.	A	B	T	Wt. in Kgs.
300	28.0	3.18	1.28	0.600
301	28.0	3.18	1.48	0.725
302	30.0	3.18	1.35	0.600
303	30.0	3.18	1.60	0.900
304	30.0	3.18	1.80	1.00
305	30.0	3.18	1.00	0.560
306/1	30.0	3.18	0.85	0.400

± 10%




SECTION NO	Wt. in Kgs.
657	1.400




SECTION NO	Wt. in Kgs.
653	1.200

STEP EDGING




SECTION No.	A	B	T	Wt.inKgs.
620	57.0	15.8	2.8	1.400
621	37.2	12.7	3.0	1.300
627	38.0	12.0	1.45	0.580


STEP EDGING




SECTION No.	A	B	T	Wt.inKgs.
622	34.5	10.5	1.00	0.650
623	32.0	10.5	0.65	0.300
624	32.0	32.0	2.20	1.070




SECTION NO	Wt. in Kgs.
659	0.380




SECTION NO	Wt. in Kgs.
662	0.800




SECTION NO	Wt. in Kgs.
661	0.800
663	0.662



SECTION NO	Wt. in Kgs.
679	0.360



SECTION NO.	Wt. in Kgs.
802	1.200
802/1	1.060




SECTION No.	A	B	T	Wt. in Kgs
800	35.4	31.0	1.5	1.200
801	35.4	31.0	1.2	1.060

B-2


ALL DIMENSIONS ARE IN MM

(12)


WT INDICATED IS APPROX PER 3.66 Mtr




SECTION NO	Wt. in Kgs.
803	0.600




SECTION NO.	Wt. in Kgs.
804	2.680




SECTION No.	A	B	T	Wt. in Kgs
805	35.4	31.0	1.5	1.800
805/1	35.4	31.0	1.2	1.200
806	36.4	31.0	2.0	2.200



SECTION NO	Wt. in Kgs
908	0.750



SECTION NO	Wt. in Kgs.
943	5.900



SECTION NO	Wt. in Kgs.
898/1	1.350


B-2

ALL DIMENSIONS ARE IN MM

(13)


WT INDICATED IS APPROX PER 3.66 Mtrs

F-TRACK




SECTION NO.	Wt.inKgs.
807	3.250

HADDI SECTION




SECTION No.	A	B	C	J	Wt.inKgs.
808	35.0	16.50	23.5	1.5	1.250
809	35.0	16.50	23.5	2.0	1.700

TEMPO SECTION




SECTION NO.	Wt.inKgs.
810	1.720

HADDI SECTION




SECTION NO.	Wt.inKgs.
811	1.800
826	1.400

MAZDA SECTION (EQUAL)




SECTION NO	A	B	C	D	T	Wt.inKgs.
813	40.50	42.00	30.20	17.20	1.80	1.900
813/1	39.50	41.00	30.00	17.00	1.60	1.400
813/2	39.80	41.00	30.00	17.00	1.70	1.350
814	40.00	41.00	30.00	17.00	2.00	1.800
815	39.50	41.00	30.00	17.50	1.60	1.500
815/1	39.60	41.00	30.70	17.50	1.45	1.600
815/2	39.50	41.00	31.00	17.50	1.70	1.700
816	40.00	41.50	30.50	17.50	2.10	2.200
817/1	39.50	41.00	31.50	17.50	2.50	2.350
818	40.50	42.00	31.20	18.00	2.40	2.500
819	40.00	39.70	29.20	18.00	2.50	2.500
820	39.50	41.00	31.50	18.00	2.70	2.840
822	39.20	42.10	31.50	16.50	1.00	1.200
823	39.50	41.00	30.00	23.50	2.10	2.200

MAZDA SECTION (UN EQUAL)




SECTION NO.	A	B	C	T	Wt.in Kgs.
821	43.0	39.0	39.0		
830	44.2	38.7	39.3	2.0	2.420
831	43.0	39.0	39.0	2.1	2.350
832	42.5	38.8	40.5	2.0	2.500
833	43.0	39.0	39.0	2.3	2.400
834	43.0	39.0	39.0	1.9	2.200
834/1	43.0	39.0	39.0	1.6	1.500
834/2	45.3	38.6	39.3	1.7	1.700
838	43.1	40.8	39.7	2.45	2.460

MAZDA SECTION




SECTION NO.	Wt.inKgs.
837	1.800




SECTION NO.	Wt.inKgs.
839	1.500

TAPER-H




SECTION NO.	Wt.inKgs.
840	0.650
841	0.815

'H' SECTION




SECTION No	A	B	Wt.inKgs.
842	24.00	12.70	1.700
842/1	24.6	12.20	1.200
842/2	24.00	12.50	1.100
842/3	24.80	12.40	1.060
843	25.00	13.40	1.700
843/1	24.50	12.50	1.300
843/2	24.50	12.70	1.500
843/4	24.30	12.90	1.550
844	24.50	12.50	1.600
847	21.20	22.20	0.900
847/1	21.00	12.10	0.850
847/2	22.00	12.00	0.800
847/3	21.00	12.10	0.720
847/4	24.30	12.90	0.800
849	23.20	11.10	1.100
849/1	23.20	11.10	0.900
849/2	23.20	11.10	0.680
849/3	23.20	11.10	0.730

SINGLE JAIPURI




SECTION No	A	B	Wt.inKgs.
870	72.00	17.00	1.200
871	72.00	17.00	1.500
872	72.00	17.00	2.300
873	72.00	17.00	1.250
874	72.00	17.00	2.00

DOUBLE JAIPURI




SECTION No	A	B	Wt.inKgs.
875	125.00	18.5	2.700
875/1	125.00	18.5	2.450
875/2	125.00	18.5	1.660
876	125.00	18.5	2.400

GATTU GOLLA




SECTION No	A	B	Wt.inKgs.
860	29.00	8.50	0.500
860/1	29.00	8.50	0.420
862	30.00	8.50	0.850
863	30.00	8.50	0.350
861/10	28.00	10.25	0.650
863	28.00	10.25	0.300

RUB RAIL




SECTION No	A	B	Wt.inKgs.
881	55.00	12.00	1.900
881/1	55.00	15.00	1.600
894	45.00	15.00	2.300
898	50.00	12.00	0.700


CHABI GOLLA



CHABI GOLLA




SECTION No	A	B	Wt.inKgs.
882	44.80	8.00	0.450
882/1	34.90	5.50	0.300
882/2	45.00	5.20	0.350
884	42.00	6.00	0.310




SECTION NO.	Wt.inKgs.
879	1.150

AMERICAN GOLLA




SECTION NO.	Wt.inKgs.
880	1.500

K.S.C. GOLLA




SECTION No	A	B	Wt.inKgs.
885	125.0	9.52	2.150
885/1	125.0	9.52	1.900
885/2	125.0	9.52	1.450

WIRING SECTION




SECTION NO.	Wt.inKgs.
886	0.860
886/1	0.750
886/2	0.700
886/3	0.550

Y.SECTION




SECTION No.	A	B	C	Wt.inKgs.
890	33.00	11.10	18.00	0.950
890/1	30.10	12.20	18.10	0.350
890/2	32.00	11.00	18.00	0.650
890/3	32.00	11.00	18.00	0.500
892	35.00	13.50	19.50	1.100

'Y' FRAME




SECTION NO.	Wt.inKgs.
891	0.350

'Y' FRAME




SECTION NO.	Wt.inKgs.
895	0.390
895/1	0.300

WATER CHANNEL




SECTION No	A	B	Wt.inKgs.
897	25.00	16.00	0.400
897/1	25.00	22.00	0.420
902	35.00	21.00	0.920
902/1	35.00	22.00	0.725
902/2	35.00	22.00	0.760
902/3	35.00	22.00	0.665
902/4	35.00	22.00	0.600
902/5	34.40	22.10	0.550
903	38.00	23.00	1.050




SECTION No	A	B	Wt.inKgs.
900	25.00	18.00	0.650
901	26.00	18.50	0.550
901/1	26.00	18.50	0.350
904	25.00	12.00	0.350
904/1	25.40	12.70	0.440

DELUX GOLA




DELUX GOLA




SECTION No	A	B	Wt.inKgs.
883	50.00	10.00	1.500
883/1	50.00	10.00	1.00
887	50.00	8.00	0.450
888	35.00	8.00	0.350
889	35.00	6.00	0.400
899	50.00	10.00	0.650

DELUX GOLA




SECTION No	A	B	Wt.inKgs.
893	50.00	10.00	1.750

CHABI GOLA




SECTION No	A	B	Wt.inKgs.
896	30.00	3.50	0.750
896/1	30.00	3.50	0.350
896/2	30.00	3.50	0.300
896/3	29.70	5.50	0.580
980	30.00	3.50	0.440

CHABI GOLA




BUS GOLA



SECTION No.	A	B	C	Wt.inKgs.
906	23.0	2.50	14.0	0.225


5606 Module

TATA GOLA




SECTION No	A	B	Wt.inKgs.
907	115.0	15.0	2.500
907/1	114.9	14.8	1.600

WALL FACING




SECTION No	A	B	Wt.inKgs.
909	44.5	6.7	0.400


SUN SHADE



SECTION NO.	Wt.inKgs.
910	2.150
911	1.500




SECTION NO.	Wt.inKgs.
912	1.250




SECTION NO.	Wt.inKgs.
914	0.400
914/1	0.350

J- CUTTER




SECTION NO.	Wt.inKgs.
919	0.400

FLORA




SECTION No	A	B	Wt.inKgs.
905	150.00	10.50	2.900
905/1	154.00	9.50	2.050

ELEPHANTA GOLA




SECTION No	A	B	Wt.inKgs.
920	100.00	5.00	1.100
920/1	100.00	5.00	1.130
920/3	100.00	5.00	1.200
921	125.00	5.50	1.100
922	125.00	5.50	1.400

3DORI
&
4DORI



SECTION No	A	B	Wt.inKgs.
923	100.0	5.0	0.750
930	116.0	5.0	1.150


EICHER SECTION



SECTION NO.	Wt.inKgs.
931	1.100


Viola Angle

EICHER SECTION



SECTION NO.	Wt.inKgs.
933	0.670

EICHER SECTION




SECTION NO.	Wt.inKgs.
932	1.900

Skirt Angle


Viola Step Edge

EICHER SECTION




SECTION NO.	Wt.inKgs.
934	1.600

ARROW GOLA



SECTION No	A	B	Wt.inKgs.
940	50.00	8.00	0.340
941	55.30	4.40	0.340

BOX GOLA



SECTION No	A	B	Wt.inKgs.
950	64.10	9.50	1.200
951	60.00	10.00	0.700
951/1	57.20	10.20	0.660
951/2	56.00	10.20	0.500
952	34.60	7.80	0.350
952/1	40.00	6.50	0.550